

BORDERPLEX ALLIANCE - TEMP SPACE


ISSUE FOR PERMIT

JUNE 30, 2026

221 E. KANSAS STREET
EL PASO, TEXAS 79901



VICINITY MAP



PROJECT INFORMATION

BUILDING ADDRESS: 221 E. KANSAS ST.
EL PASO, TX 7990

OCCUPANCY TYPE: B- BUSINESS

CONSTRUCTION TYPE: TYPE II

PROJECT AREA: GROUND FLOOR; 4,983 SQUARE FEET

FIRE PROTECTION: FULLY SPRINKLERED

CURRENT USE OF SPACE: OFFICE

PROPOSED USE OF SPACE: OFFICE

APPLICABLE CODES: 2021 INTERNATIONAL BUILDING CODE
2021 INTERNATIONAL ENERGY CONSERVATION CODE
2021 INTERNATIONAL MECHANICAL CODE
2020 NFPA 70 NATIONAL ELECTRICAL CODE
2021 INTERNATIONAL PLUMBING CODE
2021 INTERNATIONAL FUEL GAS CODE
2021 INTERNATIONAL FIRE CODE
2021 INTERNATIONAL EXISTING BUILDING CODE
2012 TEXAS ACCESSIBILITY STANDARDS & AMERICAN
NATIONAL STANDARD OF THE INTERNATIONAL
CODE COUNCIL (ICC/ANSI A117.1 2009 EDITION)

DRAWING INDEX

SHEET NO.	SHEET NAME
G00.00	COVER SHEET
G00.01	INDEX, PROJECT INFORMATION, VICINITY & LOCATION MAP
G00.20	EGRESS & OCCUPANCY PLAN- GROUND FLOOR
D01.00	DEMOLITION PLAN- GROUND FLOOR
D01.01	DEMOLITION PLAN- BASEMENT
A02.00	CONSTRUCTION PLAN - GROUND FLOOR

PROJECT DESCRIPTION

LIMITED RENOVATION OF EXISTING OFFICE (B OCCUPANCY) SPACE FOR TEMPORARY OFFICE USE. SCOPE INCLUDES SELECTIVE DEMOLITION OF DOORS AND INFILLING OF EXISTING PARTITIONS WHERE DOORS ARE REMOVED. THERE SHALL BE NO CHANGE TO EXISTING POWER AND LIGHTING WITHIN THE TEMPORARY OFFICE SPACE EXCEPT AS INDICATED.

WORK WITHIN THE GREY HATCHED EXISTING AREA IS LIMITED TO CEILING AND LIGHTING DEMOLITION, TEMPORARY LIGHTING, TEMPORARY AIR DISTRIBUTION, AND MAKE-SAFE WORK REQUIRED TO SUPPORT FIELD VERIFICATION AND FUTURE CONSTRUCTION.

SCOPE ALSO INCLUDES MODIFICATION OF EXISTING CURTAIN WALL SYSTEM TO ADD A NEW STOREFRONT DOOR, MODIFY EXISTING PLANTER, AND PROVIDE NEW CONCRETE SIDEWALK CONNECTION TO EXISTING SIDEWALK.

NO CHANGE IN BUILDING SQUARE FOOTAGE, OCCUPANCY CLASSIFICATION, USE, OR PARKING IS PROPOSED.


BORDERPLEX ALLIANCE

221 E. KANSAS STREET
EL PASO, TEXAS 79901

Gensler


5005 Greenville Avenue
Dallas, TX 7506
United States

Tel 214.273.1500
Fax 214.273.1505



SCOPE OF WORK - BASEMENT

SCALE: 1/32" = 1'-0"



SCOPE OF WORK - GROUND FLOOR

SCALE: 1/32" = 1'-0"

Date	Description
06/30/2026	ISSUE FOR PERMIT

Seal / Signature

Project Name
BORDERPLEX ALLIANCE - TEMP SPACE
Project Number
005.5662.000
Description
INDEX, PROJECT INFORMATION, VICINITY & LOCATION MAP
Scale
1/32" = 1'-0" True North

G00.01

BORDERPLEX ALLIANCE

221 E. KANSAS STREET
EL PASO, TEXAS 79901

Gensler

5005 Greenville Avenue
Dallas, TX 7506
United States

Tel 214.273.1500
Fax 214.273.1505

OCCUPANT LOAD (IBC 2021 TABLE 1004.5)

LIFE SAFETY - OCCUPANCY TABULATION				
NAME	OCCUPANCY TYPE	AREA	LOAD FACTOR	CALCULATED OCCUPANT LOAD
GROUP B	BUSINESS AREAS - GENERAL (IBC)	4,983 SF	150	33
		4,983 SF		33

EXIT ACCESS TRAVEL DISTANCE (IBC 21 TABLE 1017.2)

DEAD ENDS (IBC 1020.5)			COMMON PATH OF EGRESS TRAVEL (IBC 1006.2.1)		
OCCUPANCY	SPRINKLERED	MAX. DISTANCE	OCCUPANCY	SPRINKLERED	MAX. DISTANCE
B	YES	50' - 0"	B	YES	100' - 0"

EGRESS ANALYSIS

OCCUPANT LOAD	33
EGRESS WIDTH PER OCCUPANT SERVED: IBC SECT. 1005.3.1 - 2 STAIRWAYS OTHER EGRESS COMPONENTS	0.2" PER OCCUPANT SERVED 0.15" PER OCCUPANT SERVED
EGRESS WIDTH CALCULATIONS: STAIRWAY EGRESS WIDTH REQUIRED = STAIRWAY EGRESS WIDTH PROVIDED = OTHER EGRESS COMPONENT (DOORS) WIDTH REQUIRED = OTHER EGRESS COMPONENT (DOORS) WIDTH PROVIDED = OTHER EGRESS COMPONENT (CORRIDORS) WIDTH REQUIRED = OTHER EGRESS COMPONENT (CORRIDORS) WIDTH PROVIDED =	4.95" REF: LIFE SAFETY PLAN 4.95" REF: LIFE SAFETY PLAN
EGRESS ACCESS TRAVEL DISTANCE: IBC TABLE 1016.1 MAXIMUM EXIT ACCESS TRAVEL DISTANCE ALLOWED = MAXIMUM EXIT ACCESS TRAVEL DISTANCE PROVIDED = MIN. EXIT ACCESS DOORWAY SEPARATION DISTANCE ALLOWED = EXIT ACCESS DOORWAY SEPARATION DISTANCE PROVIDED =	B = 300' REF: LIFE SAFETY PLAN REF: LIFE SAFETY PLAN REF: LIFE SAFETY PLAN
PORTABLE FIRE EXTINGUISHERS: WHERE REQUIRED PER IBC SECTION 906 AND TABLE 906.1 MAXIMUM FLOOR AREA PER UNIT OF A ALLOWED = MAXIMUM FLOOR AREA PER UNIT OF A PROVIDED = MAXIMUM FLOOR AREA FOR EXTINGUISHER ALLOWED = MAXIMUM FLOOR AREA FOR EXTINGUISHER PROVIDED = MAXIMUM TRAVEL DISTANCE TO EXTINGUISHER ALLOWED = MAXIMUM TRAVEL DISTANCE TO EXTINGUISHER PROVIDED =	 3,000 SF 2190 SF 11,250 SF 4380 SF 75' REF: LIFE SAFETY PLAN


EXIT OR EXIT ACCESS DOORWAYS REQUIRED (IBC SECTION 1015.1 AND TABLE 1015.1):

TWO EXITS OR EXIT ACCESS DOORWAYS FROM ANY SPACE SHALL BE PROVIDED WHERE ONE OF THE FOLLOWING CONDITIONS EXISTS:

- THE OCCUPANT LOAD OF THE SPACE EXCEEDS THE FOLLOWING:
OCCUPANCY GROUP S-2 = 29 OCCUPANTS.
OCCUPANCY GROUP B = 50 OCCUPANTS.
- COMMON PATH IS THE DISTANCE FROM A POINT IN A ROOM / SPACE TO WHERE OCCUPANTS HAVE A CHOICE OF TWO PATHS OF EGRESS.
- DUE TO THE BUILDING BEING FULLY SPRINKLERED, THE ALLOWABLE DEAD-END LENGTH INCREASES FROM 20' TO 50'.

LEGEND

	PATH OF TRAVEL - EGRESS	<table><tr><th colspan="3">ROOM NAME</th></tr><tr><td>101</td><td>ROOM NUMBER</td><td></td></tr><tr><td>#OLF</td><td>OCCUPANCY</td><td></td></tr><tr><td>999999</td><td>OCCUPANT LOAD</td><td></td></tr><tr><td>#XX</td><td>ROOM AREA</td><td></td></tr><tr><td></td><td>OCCUPANT LOAD FACTOR</td><td></td></tr></table> <table><tr><td>STAIR/DOOR</td><td>TYPE</td></tr><tr><td>0.X</td><td>WIDTH FACTOR</td></tr><tr><td>XX" (REQD)</td><td>CLEAR WIDTH REQUIRED</td></tr><tr><td>XX" (PROV)</td><td>CLEAR WIDTH PROVIDED</td></tr><tr><td>XX (OCC)</td><td>OCCUPANT LOAD</td></tr><tr><td>XXX</td><td>OCCUPANT CAPACITY OF TYPE</td></tr></table>	ROOM NAME			101	ROOM NUMBER		#OLF	OCCUPANCY		999999	OCCUPANT LOAD		#XX	ROOM AREA			OCCUPANT LOAD FACTOR		STAIR/DOOR	TYPE	0.X	WIDTH FACTOR	XX" (REQD)	CLEAR WIDTH REQUIRED	XX" (PROV)	CLEAR WIDTH PROVIDED	XX (OCC)	OCCUPANT LOAD	XXX	OCCUPANT CAPACITY OF TYPE
ROOM NAME																																
101	ROOM NUMBER																															
#OLF	OCCUPANCY																															
999999	OCCUPANT LOAD																															
#XX	ROOM AREA																															
	OCCUPANT LOAD FACTOR																															
STAIR/DOOR	TYPE																															
0.X	WIDTH FACTOR																															
XX" (REQD)	CLEAR WIDTH REQUIRED																															
XX" (PROV)	CLEAR WIDTH PROVIDED																															
XX (OCC)	OCCUPANT LOAD																															
XXX	OCCUPANT CAPACITY OF TYPE																															
	PATH OF TRAVEL - COMMON																															
	OCCUPANT LOAD EXITING THROUGH DOOR																															
	NEW FIRE EXTINGUISHER CABINET																															
	EXIT SIGN																															
	EXISTING CONSTRUCTION TO REMAIN		EXISTING AREA - LIMITED DEMOLITION / FIELD VERIFICATION AREA																													
	1 HOUR RATED PARTITION		NOT IN SCOPE - EXISTING TO REMAIN																													
	PANIC HARDWARE																															
	FIRE EXIT HARDWARE																															
	CARD READER																															
	MUSHROOM BUTTON PER CBC 1010.2.11.1																															




01 EGRESS & OCCUPANCY PLAN - GROUND FLOOR

SCALE 1/16" = 1'-0"

01 DEMOLITION PLAN - GROUND FLOOR

SCALE 1/8" = 1'-0"



SHEET NOTES

- 01 EXISTING DOOR TO REMAIN.
- 02 EXISTING DOOR TO BE REMOVED.
- 03 EXISTING MILLWORK TO REMAIN.
- 04 REMOVE PORTION OF EXISTING STOREFRONT SYSTEM AS REQUIRED TO ACCOMMODATE NEW STOREFRONT DOOR. PROTECT ADJACENT STOREFRONT, GLAZING, AND CONSTRUCTION TO REMAIN.
- 05 REMOVE EXISTING DOOR LEAF, HARDWARE & SIDELIGHT. EXISTING ALUMINUM FRAME SHALL REMAIN IN PLACE.
- 06 EXISTING TOILET TO REMAIN.
- 07 EXISTING URINAL TO REMAIN.
- 08 EXISTING SINK TO REMAIN.
- 09 EXISTING MOP SINK TO REMAIN.
- 10 EXISTING MILLWORK TO BE REMOVED.
- 11 REMOVE EXISTING WALL / FURROUT TO EXPOSE EXISTING STRUCTURAL STEEL COLUMN FOR FIELD VERIFICATION. PROTECT EXISTING STRUCTURE AND ADJACENT CONSTRUCTION TO REMAIN.
- 12 REMOVE EXISTING COVER / FURROUT CONCEALING STRUCTURAL GIRDER TO EXPOSE EXISTING STRUCTURAL STEEL FOR FIELD VERIFICATION. PROTECT EXISTING STRUCTURE AND ADJACENT CONSTRUCTION TO REMAIN.
- 13 REMOVE EXISTING TELLER MILLWORK IN ITS ENTIRETY, INCLUDING COUNTERS, PANELS, SUPPORTS, ANCHORS, AND ASSOCIATED COMPONENTS.
- 14 REMOVE OUTSIDE FACE OF EXISTING GYPSUM BOARD AT WET WALL TO EXPOSE EXISTING PLUMBING LINES FOR FIELD VERIFICATION. EXISTING WALL FRAMING AND PLUMBING TO REMAIN.
- 15 EXISTING ELECTRIC PANELS TO REMAIN.
- 16 REMOVE EXISTING CEILING SYSTEMS, LIGHT FIXTURES, FLOORING, BASE, AND ASSOCIATED FINISHES THROUGHOUT THIS AREA. PROVIDE TEMPORARY LIGHTING FOR CONSTRUCTION / FIELD VERIFICATION. EXISTING MECHANICAL TO REMAIN. STABILIZE DUCTWORK AND DIFFUSERS AS REQUIRED. WHERE ELECTRICAL DEVICES ARE REMOVED, REMOVE ASSOCIATED CONDUIT AND WIRING BACK TO NEAREST JUNCTION BOX AND CAP / MAKE SAFE.
- 17 REMOVE EXISTING LOWERED CEILING, FURR-DOWNS, HORIZONTAL GYPSUM BOARD, AND ASSOCIATED FRAMING IN THIS AREA AND AROUND EXISTING STAIR. PROTECT EXISTING STAIR, STRUCTURE, AND ADJACENT CONSTRUCTION TO REMAIN.

GENERAL NOTES

1. REF. G00.02 FOR GENERAL NOTES, GRAPHIC SYMBOLS & ABBREVIATIONS.
2. NOTIFY ARCHITECT OF DISCREPANCIES PRIOR TO PROCEEDING WITH WORK OR AREA IN QUESTION.
3. IF DEMOLITION IS PERFORMED IN EXCESS OF THAT REQUIRED, RESTORE AFFECTED AREAS AT NO COST TO OWNER.
4. APPLIED FIREPROOFING DAMAGED DURING CONSTRUCTION SHALL BE REPAIRED AND PATCHED TO MAINTAIN THE INTEGRITY OF THE BUILDINGS EXISTING FIREPROOFING.
5. PATCH AND REPAIR SURFACES DAMAGED AS A RESULT OF WORK PERFORMED ON THIS PROJECT. PATCH & REPAIR EXISTING SURFACES AS REQ'D TO RECEIVE NEW FINISH.
6. CONTRACTOR TO ASSESS ANY REQUIRED DEMOLITION OF DOORS, WALLS, CEILINGS, FIRE HOSE CABINETS AND FINISH MATERIALS DURING JOB WALK. COORDINATE WITH LANDLORD DEMOLITION PROCEDURES AND ANY ABATEMENT REQUIRED.
7. REMOVE DESIGNATED PARTITIONS, COMPONENTS, BUILDING EQUIPMENT, AND FIXTURES AS REQUIRED FOR NEW WORK.
8. PATCH AND REPAIR EXISTING WALLS TO REMAIN AND PREPARE TO RECEIVE NEW FINISHES.
9. THROUGHOUT THE EXISTING AREA (INDICATED BY GREY HATCH) NOT PART OF TEMPORARY CONSTRUCTION BUILD-OUT, LIMITED DEMOLITION SCOPE INCLUDES REMOVAL OF EXISTING SUSPENDED CEILINGS, CEILING-MOUNTED DEVICES, AND LIGHT FIXTURES AS INDICATED TO EXPOSE EXISTING STRUCTURE AND OVERHEAD SYSTEMS FOR FIELD VERIFICATION. NO NEW PARTITIONS, FINISHES, CEILINGS, OR LIGHTING ARE INCLUDED IN THIS AREA UNLESS SPECIFICALLY NOTED.

GRAPHIC LEGEND

- 1 SHEET NOTE
- EXISTING CONSTRUCTION TO REMAIN
- EXISTING CONSTRUCTION TO BE DEMOLISHED
- EXISTING AREA - LIMITED DEMOLITION / FIELD VERIFICATION AREA
- NOT IN SCOPE - EXISTING TO REMAIN

BORDERPLEX ALLIANCE

221 E. KANSAS STREET
EL PASO, TEXAS 79901

Gensler

5005 Greenville Avenue
Dallas, TX 7506
United States

Tel 214.273.1500
Fax 214.273.1505

Date	Description
06/30/2026	ISSUE FOR PERMIT

Seal / Signature




Project Name
BORDERPLEX ALLIANCE - TEMP SPACE

Project Number
005.5662.000

Description
DEMOLITION PLAN - GROUND FLOOR

Scale
As indicated

D01.00



SHEET NOTES

- 01 EXISTING DOOR TO REMAIN.
- 02 EXISTING DOOR TO BE REMOVED.
- 03 EXISTING MILLWORK TO REMAIN.
- 04 REMOVE PORTION OF EXISTING STOREFRONT SYSTEM AS REQUIRED TO ACCOMMODATE NEW STOREFRONT DOOR. PROTECT ADJACENT STOREFRONT, GLAZING, AND CONSTRUCTION TO REMAIN.
- 05 REMOVE EXISTING DOOR LEAF, HARDWARE & SIDELIGHT. EXISTING ALUMINUM FRAME SHALL REMAIN IN PLACE.
- 06 EXISTING TOILET TO REMAIN.
- 07 EXISTING URINAL TO REMAIN.
- 08 EXISTING SINK TO REMAIN.
- 09 EXISTING MOP SINK TO REMAIN.
- 10 EXISTING MILLWORK TO BE REMOVED.
- 11 REMOVE EXISTING WALL / FURROUT TO EXPOSE EXISTING STRUCTURAL STEEL COLUMN FOR FIELD VERIFICATION. PROTECT EXISTING STRUCTURE AND ADJACENT CONSTRUCTION TO REMAIN.
- 12 REMOVE EXISTING COVER / FURROUT CONCEALING STRUCTURAL GIRDER TO EXPOSE EXISTING STRUCTURAL STEEL FOR FIELD VERIFICATION. PROTECT EXISTING STRUCTURE AND ADJACENT CONSTRUCTION TO REMAIN.
- 13 REMOVE EXISTING TELLER MILLWORK IN ITS ENTIRETY, INCLUDING COUNTERS, PANELS, SUPPORTS, ANCHORS, AND ASSOCIATED COMPONENTS.
- 14 REMOVE OUTSIDE FACE OF EXISTING GYPSUM BOARD AT WET WALL TO EXPOSE EXISTING PLUMBING LINES FOR FIELD VERIFICATION. EXISTING WALL FRAMING AND PLUMBING TO REMAIN.
- 15 EXISTING ELECTRIC PANELS TO REMAIN.
- 16 REMOVE EXISTING CEILING SYSTEMS, LIGHT FIXTURES, FLOORING, BASE, AND ASSOCIATED FINISHES THROUGHOUT THIS AREA. PROVIDE TEMPORARY LIGHTING FOR CONSTRUCTION / FIELD VERIFICATION. EXISTING MECHANICAL TO REMAIN. STABILIZE DUCTWORK AND DIFFUSERS AS REQUIRED. WHERE ELECTRICAL DEVICES ARE REMOVED, REMOVE ASSOCIATED CONDUIT AND WIRING BACK TO NEAREST JUNCTION BOX AND CAP / MAKE SAFE.
- 17 REMOVE EXISTING LOWERED CEILING, FURR-DOWNS, HORIZONTAL GYPSUM BOARD, AND ASSOCIATED FRAMING IN THIS AREA AND AROUND EXISTING STAIR. PROTECT EXISTING STAIR, STRUCTURE, AND ADJACENT CONSTRUCTION TO REMAIN.

GENERAL NOTES

1. REF. G00.02 FOR GENERAL NOTES, GRAPHIC SYMBOLS & ABBREVIATIONS.
2. NOTIFY ARCHITECT OF DISCREPANCIES PRIOR TO PROCEEDING WITH WORK OR AREA IN QUESTION.
3. IF DEMOLITION IS PERFORMED IN EXCESS OF THAT REQUIRED, RESTORE AFFECTED AREAS AT NO COST TO OWNER.
4. APPLIED FIREPROOFING DAMAGED DURING CONSTRUCTION SHALL BE REPAIRED AND PATCHED TO MAINTAIN THE INTEGRITY OF THE BUILDINGS EXISTING FIREPROOFING.
5. PATCH AND REPAIR SURFACES DAMAGED AS A RESULT OF WORK PERFORMED ON THIS PROJECT. PATCH & REPAIR EXISTING SURFACES AS REQ'D TO RECEIVE NEW FINISH.
6. CONTRACTOR TO ASSESS ANY REQUIRED DEMOLITION OF DOORS, WALLS, CEILINGS, FIRE HOSE CABINETS AND FINISH MATERIALS DURING JOB WALK. COORDINATE WITH LANDLORD DEMOLITION PROCEDURES AND ANY ABATEMENT REQUIRED.
7. REMOVE DESIGNATED PARTITIONS, COMPONENTS, BUILDING EQUIPMENT, AND FIXTURES AS REQUIRED FOR NEW WORK.
8. PATCH AND REPAIR EXISTING WALLS TO REMAIN AND PREPARE TO RECEIVE NEW FINISHES.
9. THROUGHOUT THE EXISTING AREA (INDICATED BY GREY HATCH) NOT PART OF TEMPORARY CONSTRUCTION BUILD-OUT, LIMITED DEMOLITION SCOPE INCLUDES REMOVAL OF EXISTING SUSPENDED CEILINGS, CEILING-MOUNTED DEVICES, AND LIGHT FIXTURES AS INDICATED TO EXPOSE EXISTING STRUCTURE AND OVERHEAD SYSTEMS FOR FIELD VERIFICATION. NO NEW PARTITIONS, FINISHES, CEILINGS, OR LIGHTING ARE INCLUDED IN THIS AREA UNLESS SPECIFICALLY NOTED.

GRAPHIC LEGEND

- 1 SHEET NOTE
- EXISTING CONSTRUCTION TO REMAIN
- EXISTING CONSTRUCTION TO BE DEMOLISHED
- EXISTING AREA - LIMITED DEMOLITION / FIELD VERIFICATION AREA
- NOT IN SCOPE - EXISTING TO REMAIN

BORDERPLEX ALLIANCE

221 E. KANSAS STREET
EL PASO, TEXAS 79901

Gensler

5005 Greenville Avenue
Dallas, TX 7506
United States

Tel 214.273.1500
Fax 214.273.1505

Date	Description
06/30/2026	ISSUE FOR PERMIT

Seal / Signature



Project Name

BORDERPLEX ALLIANCE -
TEMP SPACE

Project Number

005.5662.000


Description

DEMOLITION PLAN - BASEMENT

Scale

As indicated

D01.01



SHEET NOTES

- 01 REUSED DOOR, FRAME, AND HARDWARE SALVAGED FROM DEMOLITION. VERIFY SIZE, SWING, CONDITION, AND HARDWARE FUNCTION PRIOR TO REINSTALLATION.
- 02 INFILL EXISTING PARTITION WHERE DOOR AND FRAME HAVE BEEN REMOVED. MATCH EXISTING ADJACENT PARTITION CONSTRUCTION, THICKNESS, AND FINISH.
- 03 NEW STOREFRONT DOOR WITHIN EXISTING STOREFRONT SYSTEM. MODIFY EXISTING FRAMING AS REQUIRED. MATCH EXISTING ADJACENT PROFILE, FINISH, AND GLAZING. FIELD VERIFY EXISTING CONDITIONS PRIOR TO FABRICATION.
- 04 MODIFY EXISTING PLANTER AND PROVIDE NEW CONCRETE SIDEWALK TO CONNECT NEW CURTAIN WALL DOOR TO EXISTING SIDEWALK. FIELD VERIFY EXISTING CONDITIONS, INCLUDING PLANTER, UTILITIES, IRRIGATION, LANDSCAPING, AND ADJACENT SITE EQUIPMENT / BOXES. PATCH AND REPAIR DISTURBED AREAS TO MATCH EXISTING CONDITIONS.
- 05 TOUCH UP & PAINT AT LOCATION WHERE DOOR & SIDELITE WERE REMOVED.

GENERAL NOTES

1. USE 5/8" TYPE 'X' GYP. BD. THROUGHOUT. U.O.N.
2. NOTIFY ARCHITECT IN WRITING OF CONFLICTS, DIMENSIONAL OR OTHER DISCREPANCIES PRIOR TO PROCEEDING WITH WORK OR AREAS AFFECTED.
3. ALL GLASS TO BE TEMPERED. ALL EXPOSED EDGES SHALL BE POLISHED.
4. DOOR JAMB LOCATIONS SHALL BE TYP. 4" FROM ADJ. WALL U.O.N. MAINTAIN DOOR CLEARANCES AS REQUIRED
5. ALL NEW INTERIOR DOORS AND FRAMES SHALL BE SALVAGED FROM DEMOLITION AND REUSED U.N.O. CONTRACTOR SHALL PROTECT SALVAGED DOORS AND FRAMES FROM DAMAGE DURING REMOVAL, STORAGE, AND REINSTALLATION.
6. PATCH AND REPAIR SURFACES DAMAGED AS A RESULT OF WORK PERFORMED ON THIS PROJECT. PATCH & REPAIR EXISTING SURFACES AS REQD TO RECEIVE NEW FINISH.
7. NEW GWB CONSTRUCTION ADJOINING EXISTING CONSTRUCTION IN PLANE SHALL BE FLUSH WITH NO VISIBLE JOINTS. UNO.
8. DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS GOVERN. ALL PARTITION LOCATIONS, DIMENSIONS AND TYPES, ALL DOOR AND WINDOW LOCATIONS SHALL BE AS SHOWN ON CONSTRUCTION PLAN. IN CASE OF CONFLICT NOTIFY ARCHITECT.
9. GC TO SURVEY FIELD CONDITIONS AND VERIFY THAT WORK IS FEASIBLE AS SHOWN. VERIFY LOCATIONS OF FLOOR OUTLETS AND OTHER OUTLETS IN RELATION TO STRUCTURAL AND OTHER ELEMENTS.
10. ALL PARTITIONS ARE DIMENSIONED FROM FINISH FACE TO FINISH FACE. UNO. ALL DIMENSIONS MARKED 'CLEAR' OR 'HOLD' SHALL BE MAINTAINED AND SHALL ALLOW FOR THICKNESS OF ALL FINISHES INCLUDING CARPET, STONE, TILE, FABRIC PANELS, MILLWORK, ETC.
11. CONTRACTOR SHALL STEAM CLEAN EXISTING CARPET THROUGHOUT AREAS INDICATED TO REMAIN. REPAIR OR REPLACE DAMAGED CARPET TILE WHERE REQUIRED TO PROVIDE A CLEAN, UNIFORM FINISHED CONDITION.
12. CONTRACTOR SHALL REPLACE DAMAGED, STAINED, OR MISSING CEILING TILES AND REPAIR EXISTING LIGHT FIXTURES AS REQUIRED. REPLACE BURNED-OUT LAMPS / BULBS AND PROVIDE EXISTING LIGHTING TO REMAIN IN WORKING ORDER. SALVAGE CARPET AND CEILING TILES FROM ADJACENT SPACE.
13. CONTRACTOR SHALL TOUCH UP EXISTING PAINTED SURFACES THROUGHOUT AREAS INDICATED TO REMAIN WHERE DAMAGED, STAINED, OR DISTURBED BY DEMOLITION OR CONSTRUCTION ACTIVITIES. MATCH EXISTING ADJACENT COLOR AND FINISH.
14. THROUGHOUT THE EXISTING AREA INDICATED BY GREY HATCH, CONTRACTOR SHALL MAKE SAFE ALL EXPOSED ELECTRICAL, LOW-VOLTAGE, MECHANICAL, FIRE ALARM, FIRE SPRINKLER, AND CEILING-SUPPORTED COMPONENTS AFFECTED BY CEILING AND LIGHTING DEMOLITION. EXISTING SYSTEMS TO REMAIN SHALL BE TEMPORARILY SUPPORTED AS REQUIRED. CONTRACTOR SHALL PROVIDE TEMPORARY AIR DISTRIBUTION AND TEMPORARY LIGHTING WITHIN THE GREY HATCHED AREA AS REQUIRED TO SUPPORT FUTURE CONSTRUCTION ACTIVITIES AND MAINTAIN SAFE WORKING CONDITIONS.

GRAPHIC LEGEND

- 1 SHEET NOTE
- NEW PARTITION
- EXISTING CONSTRUCTION TO REMAIN
- EXISTING AREA - LIMITED DEMOLITION / FIELD VERIFICATION AREA
- NOT IN SCOPE - EXISTING TO REMAIN
- OFFICE
509
798 SF
ROOM NAME
ROOM NUMBER
ROOM AREA
- 501 DOOR NUMBER (WITH SCHEDULE)
- ALIGN
ALIGN WITH ESTABLISHED SURFACES
- 10
A11.01
LOCATION ON ROW WHERE SHOWN
DIRECTION OF ELEVATION
SHEET WHERE SHOWN
- 1
A101
SIM
DETAIL NUMBER
SHEET WHERE SHOWN
DESCRIPTION OF SIMILAR OR OPPOSITE
- AREA TO BE DETAILED

BORDERPLEX ALLIANCE

221 E. KANSAS STREET
EL PASO, TEXAS 79901

Gensler

5005 Greenville Avenue
Dallas, TX 7506
United States

Tel 214.273.1500
Fax 214.273.1505

Date	Description
06/30/2026	ISSUE FOR PERMIT

Seal / Signature



Project Name

BORDERPLEX ALLIANCE -
TEMP SPACE

Project Number

005.5662.000

Description

CONSTRUCTION PLAN - GROUND
FLOOR

Scale

As indicated

A02.00